This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

L	Hits	Search Text	DB	Time stamp
Number				_
3	3999	((717/101,106-107,114,118,127,130-131,136, or (714/38) or (704/9,10) or (715/519) or (345/709)).ccls.	LUS-PAT5) US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/28 08:19
4	6	(((717/101,106-107,114,118,127,130-131,136 or (714/38) or (704/9,10) or (715/519) or (345/709)).CCLS.) and (pars\$4 and token\$6) and keyword and (line near5	, WSBAT45) US-PGPUB; EPO; JPO; DERWENT;	2004/06/28 08:21
5	6	count\$4) and (measur\$5 or analysis or versioning) and ((file or version) same ((女女女童童童童童童童童童童童童童童童童童童童童童童童童童童童童童童童童童	IBM_TDB	2004/06/28
		or (714/38) or (704/9,10) or (715/519) or (345/709)).CCLS.) and (pars\$4 and token\$6) and keyword and (line near5 count\$4) and (measur\$5 or analysis or versioning) and ((file or version) same (difference or merg\$4))) and (@ad<=20010705 or @rlad<=20010705) and	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	08:22
_	126	(@ad<-20010705 of @ffad<=20010705) and (@adke20010705) and (@adke20010705) and keywordhearareodalumbameorount25))clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 12:25
_	1	((@ad<=20010705 or @rlad<=20010705) and ((line near3 code) same count\$5).clm.) and (source adj code) and (token or pars\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/25 17:05
-	1	((@ad<=20010705 or @rlad<=20010705) and ((line near3 code) same count\$5).clm.) and ((token near3 stream) same count\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 12:28
-	1	717/\$ and (line near5 count\$4) and ((token near3 stream) same count\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/25 17:07
_	1443	SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 12:32
-	25	(SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and (@ad<=20010705 or @rlad<=20010705) and ((token or line or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:38
-	60	word or text or keyword) near4 count\$5) (SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and (@ad<=20010705 or @rlad<=20010705) and ((token or line or word or text or keyword) same count\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 12:29
-	1	((SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and (@ad<=20010705 or @rlad<=20010705) and ((token or line or word or text or keyword) same count\$5)) and pars\$4 and (token near3 (type or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:28
-	1322	categor\$4)) (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 13:24

	121	(SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3	USPAT; US-PGPUB; EPO; JPO;	2004/06/26 12:34
		metrics)).ab.) and SCAMP	DERWENT; IBM_TDB	
	10	or (software near6 measur\$6) or ((software adj2 (program or code)) near3	USPAT; US-PGPUB; EPO; JPO;	2004/06/26
		metrics)).ab.) and SCAMP) and (parser or token)	DERWENT; IBM_TDB	
-	1	((SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3	USPAT; US-PGPUB; EPO; JPO;	2004/06/26
		metrics)).ab.) and SCAMP) not (((SCAMP or (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and SCAMP) and (parser or	DERWENT; IBM_TDB	
	20	token)) and (program near6 measur\$4)	ucham.	2004/06/26
	20	(((source code hear4 analyss) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and "Business Machines".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26 12:39
_	4	({ (("source code" near4 analy\$5) or	IBM_TDB USPAT;	2004/06/26
		(software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.) and "Business Machines".as.) and	US-PGPUB; EPO; JPO; DERWENT;	13:21
_	454	1 ' ' - ' - ' ' ' ' ' ' ' ' ' ' ' ' ' '	IBM_TDB USPAT;	2004/06/26
		<pre>instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))</pre>	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	13:24
_	141		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 13:35
_	120	lexical\$5 and pars\$4 and (token near3 (type or categor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 13:29
-	. 2	<pre>(((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))) and ((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)</pre>	USPAT; USPAT; USPAGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:29
_	4	(lexical\$5 and pars\$4 and (token near3 (type or categor\$4))) and ((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26 13:30
_	4	<pre>code)) near3 metrics)).ab.) (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/26 13:30
	2	<pre>instruction)) and (parser or (lexical near2 analy\$6))) and ((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/06/26 13:30
		<pre>((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6)))</pre>	EPO; JPO; DERWENT; IBM_TDB	

Search History 6/28/04 8:23:40 AM Page 2

_	25	<pre>(((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (lexical\$5 and pars\$4 and (token near3 (type or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 13:31
_	1	<pre>categor\$4))) (((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))) and (count\$5 near7 (statement or match or line))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 13:36
_	483	((source or program) adj2 (code or file or version)) same (difference same (éxtract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 13:36
-	101	<pre>(((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((number or count\$5) near7 (statement or match or line))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26
	10	(((((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((number or count\$5) near7 (statement or match or line))) and (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6)))) or ((((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((number or count\$5) near7 (statement or match or line))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26
	7).ab.)) ((((((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((number or count\$5) near7 (statement or match or line))) and (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6)))) or ((((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((number or count\$5) near7 (statement or match or line))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.))) and (@ad<=20010705 or @rlad<=20010705) and ((token or line or word or text or keyword))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26

	27	(((((source or program) adj2 (code or	USPAT;	2004/06/26
		file or version)) same (difference near4	US-PGPUB;	14:01
		(extract\$4 or analy\$4 or measur\$5 or	EPO; JPO;	
		compari\$6))) and ((("source code" near4	DERWENT;	
		analy\$5) or (software near6 measur\$6) or	IBM_TDB	
		((software adj2 (program or code)) near3 metrics)).ab.)) or ((lexical\$5 and		
		pars\$4 and (token near3 (type or		
į		categor\$4))) and ((("source code" near4		
·		analy\$5) or (software near6 measur\$6) or		
		((software adj2 (program or code)) near3		
		metrics)).ab.)) or (((compiler adj2		
		(directive or instruction)) or comment)		
		and data and ((program or code) adj2		
		(statement or instruction)) and (parser		
		or (lexical near2 analy\$6))) and (
:		(("source code" near4 analy\$5) or		
:		(software near6 measur\$6) or ((software		
		adj2 (program or code)) near3 metrics)		
).ab.)) or ((((compiler adj2 (directive		
		or instruction)) or comment) and data and		
		((program or code) adj2 (statement or		
		<pre>instruction)) and (parser or (lexical near2 analy\$6))) and (((source or</pre>		
		program) adj2 (code or file or version))		
		same (difference near4 (extract\$4 or		
		analy\$4 or measur\$5 or compari\$6)))) or		
		((((compiler adj2 (directive or		
ŀ		instruction)) or comment) and data and		
		((program or code) adj2 (statement or		
		instruction)) and (parser or (lexical		
		near2 analy\$6))) and (lexical\$5 and		
		pars\$4 and (token near3 (type or		
		categor\$4))))) and (@ad<=20010705 or		
		@rlad<=20010705) and ((token or line or		
1		word or text or keyword))		
_	63	(((source or program) adj2 (code or file	USPAT;	2004/06/26
		or version)) same (difference same	US-PGPUB;	13:46
		(extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and 717/\$	EPO; JPO; DERWENT;	
		comparity of mergy4/// and /1//y	IBM TDB	
_	43	((((source or program) adj2 (code or file	USPAT;	2004/06/26
		or version)) same (difference same	US-PGPUB;	14:10
,		(extract\$4 or analy\$4 or measur\$5 or	EPO; JPO;	
		compari $\$6$ or merg $\$4$))) and $717/\$$) and	DERWENT;	
		(@ad<=20010705 or @rlad<=20010705) and	IBM_TDB	
		(number or count\$4 or total)		
-	25	(((((source or program) adj2 (code or	USPAT;	2004/06/26
		file or version)) same (difference same	US-PGPUB;	14:18
		(extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and 717/\$) and	EPO; JPO; DERWENT;	
		comparise or mergs4)) and /1//s and (@ad<=20010705 or @rlad<=20010705) and	IBM TDB	
		(number or count\$4 or total)) and (lex\$6	I TOTAL TOD	
		or pars\$4 or lexico\$5 or token\$5)		
_	1	717/\$ and token\$6 and pars\$4 and	USPAT;	2004/06/26
		(statement near3 builder)	US-PGPUB;	14:00
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	392	717/\$ and token\$6 and pars\$4 and	USPAT;	2004/06/26
		((statement or instruction or code) near3	US-PGPUB;	14:12
	[(build\$3 or generat\$4 or assembl\$4))	EPO; JPO;	
			DERWENT;	
_	352	1717/6 and tokonéh and name4 and	IBM_TDB USPAT;	2004/06/26
1	352	(717/\$ and token\$6 and pars\$4 and ((statement or instruction or code) near3	USPAT; US-PGPUB;	14:02
]	((statement of instruction of code) hears (build\$3 or generat\$4 or assembl\$4))) and	EPO; JPO;	17.02
		(@ad<=20010705 or @rlad<=20010705) and	DERWENT;	
	[i	(measur\$4 or count\$5 or number)	IBM TDB	
				

	7	(((source or program) adj2 (code or file or version)) same (difference same (extract\$4 or analy\$4 or measur\$5 or compari\$6 or merg\$4))) and ((717/\$ and token\$6 and pars\$4 and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:06
_	5819	(@ad<=20010705 or @rlad<=20010705) and (measur\$4 or count\$5 or number)) ((language adj2 specification) or (keyword or (lexical near3 (rule or grammar)))) near4 (file or record or	USPAT; US-PGPUB; EPO; JPO;	2004/06/26 14:09
,		database or list or manifest or table)	DERWENT; IBM_TDB	
_	1307	(((language adj2 specification) or (keyword or (lexical near3 (rule or grammar))) near4 (file or record or database or list or manifest or table)) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26
	208	((((language adj2 specification) or (keyword or (lexical near3 (rule or grammar))) near4 (file or record or database or list or manifest or table)) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((plurality or different or variety)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:01
	26	adj2 language) 717/\$ and (((((language adj2 specification) or (keyword or (lexical near3 (rule or grammar)))) near4 (file or record or database or list or manifest or table)) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((plurality or different or variety) adj2 language)) and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:19
-	809	<pre>(support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 14:18
_	374	((support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 15:01
_	39	717/\$ and (((support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:19
_	27	("4974191" "5033087" "5083268" "5088038" "5095432" "5418717" "5426583" "5510981" "5528491" "5535120" "5659765" "5677835" "5768603" "5799268" "5806021" "5864788" "5873056" "5907821" "5963894" "5966686" "5983169" "6161083" "6173441" "6212500" "6230153" "6243669" "6330530").PN.	USPAT	2004/06/26 14:22

	4	(("4974191" "5033087" "5083268" "5088038" "5095432" "5418717" "5426583" "5510981" "5528491" "5535120" "5659765" "5677835" "5768603" "5799268" "5806021" "5864788" "5873056" "5907821" "5963894" "5966686" "5983169" "6161083" "6173441" "6212500" "6230153" "6243669" "6330530").PN.) and ((number or count\$5) near7 (statement	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:27
-	10	or match or line)) ("4791587" "4833611" "4916614" "4984178" "5029085" "5060155" "5136503" "5214583" "5243520" "5321607").PN.	USPAT	2004/06/26 14:24
-	52	(track\$4 or segregat\$4 or disassembl\$4 or separat\$4) near6 ((program or source or code) adj2 statement) and (annotation or comment or control or directive or macro or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26 14:34
		((track\$4 or segregat\$4 or disassembl\$4 or separat\$4) near6 (((program or source or code) adj2 statement) and (annotation or comment or control or directive or macro or data))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:30
-	4	(("4974191" "5033087" "5083268" "5088038" "5095432" "5418717" "5426583" "5510981" "5528491" "5535120" "5659765" "5677835" "5768603" "5799268" "5806021" "5864788" "5873056" "5907821" "5963894" "5966686" "5983169" "6161083" "6173441" "6212500" "6230153" "6243669" "6330530").PN.) and ((number or count\$5) near7 (statement or match or line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:54
-	0	<pre>grammar and (pars\$3 near5 tree) and ((count\$5 or number) near4 (translated near2 (code adj2 (statement or line))))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 14:48
-	9	<pre>grammar and (pars\$3 near5 tree) and ((count\$5 or number) near4 ((code adj2 (statement or line))))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 14:48
-	11	("4809170" "4951192" "5339435" "5347632" "5437027" "5546595" "5625580" "5634010" "5815415" "5911074" "5987242").PN.	USPAT	2004/06/26 14:53
_	6	(("4809170" "4951192" "5339435" "5347632" "5437027" "5546595" "5625580" "5634010" "5815415" "5911074" "5987242").PN.) and ((number or count\$5) near7 (statement or match or line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:54
-	3	(("4809170" "4951192" "5339435" "5347632" "5437027" "5546595" "5625580" "5634010" "5815415" "5911074" "5987242").PN.) not ((("4809170" "4951192" "5339435" "5347632" "5437027" "5546595" "5625580" "5634010" "5815415" "5911074" "5987242").PN.) and ((number or count\$5) near7 (statement or match or line))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:13
_	160	4667290.URPN.	USPAT	2004/06/26 15:12

Search History 6/28/04 8:23:40 AM Page 6

	· · · · · · · · · · · · · · · · · · ·			
	41	("3711863" "4667290" "4694420" "4807182" "4819233" "4951195" "5146586" "5191646" "5241678" "5265254" "5321828" "5410648" "5428786" "5446878" "5450586" "5488714" "5507030" "5546586" "5732275" "57758061" "5732273" "5732275" "5758061" "5764992" "5790858" "5802373" "5812855" "5870607" "5946484" "5966541" "5978588" "6018747" "6071316" "6138270" "6151701" "6202199" "6282698" "6282701" "6360359" "6393606" "6530044").PN.	USPAT	2004/06/26
_	19	3711863.URPN.	USPAT	2004/06/26
-	21	("3711863" "4204253" "4398249" "4463423" "4558413" "4589068" "4667290" "4686623" "4720778" "4734854" "4809170" "4819233" "4833606" "4931928" "4951192" "5065400" "5133063" "5170465" "5182806" "5193191" "5201050").PN.	USPAT	2004/06/26 16:12
_	1	(("3711863" "4204253" "4398249" "4463423" "4558413" "4589068" "4667290" "4686623" "4720778" "4734854" "4809170" "4819233" "4833606" "4931928" "4951192" "5065400" "5133063" "5170465" "5182806" "5193191" "5201050").PN.) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:14
-	36	<pre>(pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 16:27
_	2	("3544777" "3568156").PN.	USPAT	2004/06/26 16:22
-	2	4667290.URPN. and (pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 16:44
_	194	((count or number or total) adj2 (line near3 code)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 16:30
	2	(((count or number or total) adj2 (line near3 code)).ab.) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/26 16:54
_	32	((pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 16:32
_	32	(((pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and (pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:39
	21	5488714.URPN.	USPAT	2004/06/26 16:52

			_	
-	1369	(code near5 translat\$4) and (("any" or	USPAT;	2004/06/26
		plurality or multiple or divers\$2) near3	US-PGPUB;	16:54
		(language or grammar))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	564	((code near5 translat\$4) and (("any" or	USPĀT;	2004/06/26
		plurality or multiple or divers\$2) near3	US-PGPUB;	17:43
	}	(language or grammar))) and	EPO; JPO;	- · · · · ·
	1	(@ad<=20010705 or @rlad<=20010705) and	DERWENT;	
		(number or count\$4 or total) and (lex\$6	IBM TDB	
		or pars\$4 or lexico\$5 or token\$5)		
_	9	1 - '	USPAT;	2004/06/26
		plurality or multiple or divers\$2) near3	US-PGPUB;	16:55
		(language or grammar))) and	EPO; JPO;	10.33
,		(@ad<=20010705 or @rlad<=20010705) and	DERWENT;	
		1 '		
		(number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and	IBM_TDB	
		(pars\$4 and token\$4) and ((count or		
		1 '+		
_	22	number or total) adj2 (line near3 code))	HCDATE -	2004/06/26
_	33	((((source or program) adj2 (code or file	USPAT;	2004/06/26
		or version)) same (difference near4	US-PGPUB;	17:35
		(extract\$4 or analy\$4 or measur\$5 or	EPO; JPO;	
		compari\$6))) and ((("source code" near4	DERWENT;	
		analy\$5) or (software near6 measur\$6) or	IBM_TDB	
		((software adj2 (program or code)) near3		
		metrics)).ab.)) or ((lexical\$5 and		
		pars\$4 and (token near3 (type or		
		categor\$4))) and ((("source code" near4		
		analy\$5) or (software near6 measur\$6) or		
		((software adj2 (program or code)) near3		
		metrics)).ab.)) or ((((compiler adj2		
		(directive or instruction)) or comment)		
		and data and ((program or code) adj2		
		(statement or instruction)) and (parser		
		or (lexical near2 analy\$6))) and (
		(("source code" near4 analy\$5) or		
		(software near6 measur\$6) or ((software		
		adj2 (program or code)) near3 metrics)		
İ).ab.)) or ((((compiler adj2 (directive		
		or instruction)) or comment) and data and		
		((program or code) adj2 (statement or		
		instruction)) and (parser or (lexical		
	1	near2 analy\$6))) and (((source or		
		program) adj2 (code or file or version))		
		same (difference near4 (extract\$4 or		
		analy\$4 or measur\$5 or compari\$6)))) or		
		((((compiler adj2 (directive or		
		instruction)) or comment) and data and		
		((program or code) adj2 (statement or		
		instruction)) and (parser or (lexical		
		near2 analy\$6))) and (lexical\$5 and		
		pars\$4 and (token near3 (type or		
		categor\$4))))		
L	1.	Caredoradilii		

	4	(((((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6))) and ((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)) or ((lexical\$5 and pars\$4 and (token near3 (type or categor\$4))) and ((("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)) or (((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (("source code" near4 analy\$5) or (software near6 measur\$6) or ((software adj2 (program or code)) near3 metrics)).ab.)) or ((((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and ((source or instruction)) and (parser or (lexical near2 analy\$6))) and ((source or instruction)) and (parser or (lexical near2 analy\$6))) and ((source or instruction)) and (parser or (lexical near2 analy\$6))) and ((source or instruction)) and (parser or (lexical near2 analy\$6))) and (source or instruction)) and (parser or (lexical near2 analy\$6))) and (source or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26
		near2 analy\$6))) and (((source or program) adj2 (code or file or version)) same (difference near4 (extract\$4 or analy\$4 or measur\$5 or compari\$6)))) or ((((compiler adj2 (directive or instruction)) or comment) and data and ((program or code) adj2 (statement or instruction)) and (parser or (lexical near2 analy\$6))) and (lexical\$5 and pars\$4 and (token near3 (type or categor\$4)))) and (pars\$4 and token\$4) and ((count or number or total) adj2 (line near3 code))		
-	35	· ·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:45
	26	((717/\$ and (((support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) not (Bowman.in. or Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:48
_	7	(((717/\$ and (((support\$4 or configured or operable or adapted) near6 ((multiple or plurality) adj4 (grammar or context-free or keyword or syntax or language))) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((statement or instruction or code) near3 (build\$3 or generat\$4 or assembl\$4))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) not (Bowman.in. or Accenture.as.)) and ("any" near6 grammar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:48

_	26	(US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-6330530-\$ or US-5528491-\$ or US-5321607-\$ or US-5214583-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or	USPAT; US-PGPUB; IBM_TDB	2004/06/26 17:59
Tr.		US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.		
-	208	<pre>((((((language adj2 specification) or (keyword or (lexical near3 (rule or grammar))) near4 (file or record or database or list or manifest or table)) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and ((plurality or different or variety) adj2 language)) and ((plurality or different or variety) adj2 language)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:38
_	4		USPAT; US-PGPUB; IBM TDB	2004/06/26 18:02
_	2	("3544777" "3568156").PN.	USPĀT	2004/06/26 18:04
_	900	(number or total or count) near3 ((unchanged or changed or matching or non-matching or different or delta or unmatched) near2 line)	USPAT; US-PGPUB; IBM_TDB	2004/06/26 18:08
	29	(((track\$4 or segregat\$4 or disassembl\$4 or separat\$4) near6 (((program or source or code) adj2 statement) and (annotation or comment or control or directive or macro or data))) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)) and (@ad<=20010705 or @rlad<=20010705) and (number or count\$4 or total) and (lex\$6 or pars\$4 or lexico\$5 or token\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:10
_	2	token and (code near3 count\$4).clm. and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:33
_	7	token and (code near8 count\$4) and ((count or number or total) adj2 (line near3 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:28
_	6	("5123103" "5191646" "5321610" "5361360" "5493682" "5587935").PN.	USPAT	2004/06/26 18:32
	25	(US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-5528491-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$ or US-5159687-\$ or US-5729746-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.	USPAT; US-PGPUB; IBM_TDB	2004/06/26 18:36

	3	((US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-5528491-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$ or US-5159687-\$ or US-5729746-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:38
	3	US-20030074190-\$).did. or (NA9309123).tban.) and ((version or file) near5 merg\$4) (((US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-5528491-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$ or US-5159687-\$ or US-5729746-\$).did. or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:38
_	1	(US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.) and ((version or file) near5 merg\$4)) and (parser or token) (((US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-5528491-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 18:39
_	2	US-5857212-\$ or US-6340977-\$ or US-5159687-\$ or US-5729746-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.) and ((version or file) near5 merg\$4)) and ((plurality or different or variety) adj2 language) (((US-6161200-\$ or US-6523171-\$ or US-6529865-\$ or US-5528491-\$ or US-5060155-\$ or US-4931928-\$ or US-6063128-\$ or US-4667290-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/26 18:39
-		US-6748584-\$ or US-6282698-\$ or US-6151701-\$ or US-3711863-\$ or US-5325531-\$ or US-4686623-\$ or US-5488714-\$ or US-5586330-\$ or US-5857212-\$ or US-6340977-\$ or US-5159687-\$ or US-5729746-\$).did. or (US-20020095660-\$ or US-20040031015-\$ or US-20020138819-\$ or US-20030074190-\$).did. or (NA9309123).tban.) and ((version or file) near5 merg\$4)) and model	IBM_TDB	